

BBG 2010			CAL Green 2010 residential mandatory measures				CAL Green 2010 nonresidential mandatory measures		
			residential voluntary measures				nonresidential voluntary measures		
Building Product	Pg	Standard-Metrics	Division	Pg	Standard-Metrics	Division	Pg	Standard-Metrics	
Cabinets	11	CARB P-2 MDF Formaldehyde ≤ 0.11	Chapter 4 Division 4.5	23	CARB MDF Formaldehyde ≤ 0.11	Chapter 5 Division 5.5	40	CARB MDF Formaldehyde ≤ 0.11	
Countertop									
Drywall									
Electricity: PV Module									
Electricity: Turbine									
Flooring: Carpet	21	Ecologo Carpet CA Section 01350	Chapter 4 Division 4.5	22	CRI Green Label Plus SCS Indoor Advantage Gold CA Section 01350	Chapter 5 Division 5.5	40	CRI Green Label Plus SCS Indoor Advantage Gold CA Section 01350	
Flooring: Hard									
Flooring: Resilient	25	GreenGuard Children-Schools CA Section 01350	Chapter 4 Division 4.5	23	CHPS low-emitting materials list RFCI FloorScore	Chapter 5 Division 5.5	40	CHPS low-emitting materials list RFCI FloorScore	
Geothermal: Heat Transfer									
Insulation: Batt									
Insulation: Blown									
Insulation: Spray									
Interior Paint	35	GreenGuard flat coating: $\leq 50\text{gVOC/L}$ nonflat coating: $\leq 50\text{gVOC/L}$	Chapter 4 Division 4.5	23	CARB flat coating: $\leq 50\text{gVOC/L}$ nonflat coating: $\leq 100\text{gVOC/L}$	Chapter 5 Division 5.5	39	CARB flat coating: $\leq 50\text{gVOC/L}$ nonflat coating: $\leq 100\text{gVOC/L}$	
Pervious Pavers									
Plumbing: Faucet	39	National Energy Policy: $\leq 2.2\text{gpm @60psi}$ Watersense: 1.5gpm-0.8gpm	Chapter 4 Division 4.3	17	CEC Appliance Efficiency Standards, Title 20 2.2 gpm @60psi	Chapter 5 Division 5.3	30	Lavatory: 0.5 gpm @60psi Kitchen: 2.2 gpm @60psi	
Plumbing: Showerhead	41	National Energy Policy: $\leq 2.5\text{gpm @80psi}$ Watersense: 2.0gpm-1.2gpm	Chapter 4 Division 4.3	17	CEC Appliance Efficiency Standards, Title 20 2.5 gpm @80psi	Chapter 5 Division 5.3	30	2.5gpm @ 80psi	
Plumbing: Toilet	43	National Energy Policy: 1.6gpf Watersense: $\leq 1.28\text{gpf}$	Chapter 4 Division 4.3	17	CEC Appliance Efficiency Standards, Title 20 1.6 gpf	Chapter 5 Division 5.3	30	1.6gpf	
Roof: Cool	45	US EPA Energy Star $\leq 2:12$: SRI ≥ 50 aged +3yrs $>2:12$: SRI ≥ 15 aged +3yrs	Appendix A4 Division A4.1	57	Tier 1 $\leq 2:12$ SRI ≥ 64 Tier 1 $>2:12$ SRI ≥ 16	Appendix A5 Division A5.1	91	Tier 1 $\leq 2:12$ SRI ≥ 64 Tier 1 $>2:12$ SRI ≥ 16	
Skylights: Tracking									
Skylights: Tube									
Water Heating: Solar	51	SRCC OG 100 Energy Star: Solar Fraction ≥ 0.5	Appendix A4 Division A4.2	60	SRCC OG 300 Solar Fraction ≥ 0.5				
Water Heating: Tankless	53	Energy Star: EF ≥ 0.82	Appendix A4 Division A4.2	60	Energy Factor (EF): ≥ 0.80				
Windows									
BBG 2010	equal standard higher standard		CALGreen 2010						